




**Pressure drop diagram:**  
Applies to size 592x592x600 mm/  
6 bags



**Bag filter MultiSack K35**

consist of synthetic fibre fleece with progressive depth structure, the spacers ensure complete utilization of the full bag length; sealing of spacer seams; as compared to rated air-flow volume, operating air-flow volume can be increased by 25%, cone-shaped bags.

**Application:**

Coarse dust filtration

**Areas of application:**

All HVAC and air handling installations with a filtration function.

**Type:**

designed in galvanized frame – surcharge for plastic frame on request.


**Frame material**  
Plastic or galvanized

**Filter class as of EN 779:2012**  
G4

**For the NEW filter class as of ISO 16890:2016**  
refer to table

**Medium**  
synthetic filter media

**Temperature resistance**  
< 70 °C

 <b>Bag filter MultiSack K35</b> <b>Filter medium: Synthetic</b>									
Item number	Type code	Width [mm]	Height [mm]	Depth [mm]	Number of bags [quantity]	Filter surface [m²]	Volume flow [m³/h]	Initial pressure drop [Pa]	NEW filter class as of ISO 16890
1001701A	K35-6V/0600/06/05	592	592	600	6	4,4	3.400	20	ISO Coarse 65 %
1001713A	K35-5V/0600/05/05	490	592	600	5	3,8	2.800	20	
1001705A	K35-3V/0600/03/05	287	592	600	3	2,2	1.700	20	
1003310A	K35-2V/0600/03/05	287	287	600	3	1,1	850	20	
1001722A	K35-1V/0600/06/05	592	287	600	6	2,2	1.700	20	
1001760A	K35-6V/0600/04/05	592	592	600	4	3,0	3.400	25	ISO Coarse 65 %
1003350A	K35-5V/0600/03/05	490	592	600	3	2,2	2.800	25	
1003326A	K35-3V/0600/02/05	287	592	600	2	1,5	1.700	25	
1001768A	K35-2V/0600/02/05	287	287	600	2	0,7	850	25	
1001707A	K35-1V/0600/04/05	592	287	600	4	1,5	1.700	25	
1000369A	K35-6V/0360/06/05	592	592	360	6	2,7	3.400	35	ISO Coarse 65 %
1000367A	K35-5V/0360/05/05	490	592	360	5	2,2	2.800	35	
1000363A	K35-3V/0360/03/05	287	592	360	3	1,3	1.700	35	
1001187A	K35-2V/0360/03/05	287	287	360	3	0,7	850	35	
1001816A	K35-1V/0360/06/05	592	287	360	6	1,3	1.700	35	
1000311A	K35-6V/0360/04/05	592	592	360	4	1,8	3.400	40	ISO Coarse 65 %
1000359A	K35-5V/0360/03/05	490	592	360	3	1,3	2.800	40	
1000315A	K35-3V/0360/02/05	287	592	360	2	0,9	1.700	40	
1000319A	K35-2V/0360/02/05	287	287	360	2	0,5	850	40	
1001189A	K35-1V/0360/04/05	592	287	360	4	0,9	1.700	40	
1001688A	K35-6V/0195/06/05	592	592	195	6	1,5	3.400	60	ISO Coarse 65 %
1003347A	K35-5V/0195/05/05	490	592	195	5	1,2	2.800	60	
1003321A	K35-3V/0195/03/05	287	592	195	3	0,7	1.700	60	
1003306A	K35-2V/0195/03/05	287	287	195	3	0,3	850	60	
1003294A	K35-1V/0195/06/05	592	287	195	6	0,7	1.700	60	
1001701A	K35-6V/0195/04/05	592	592	195	4	1,0	3.400	80	ISO Coarse 65 %
1001713A	K35-5V/0195/03/05	490	592	195	3	0,7	2.800	80	
1001705A	K35-3V/0195/02/05	287	592	195	2	0,5	1.700	80	
1003310A	K35-2V/0195/02/05	287	287	195	2	0,2	850	80	
1001722A	K35-1V/0195/04/05	592	287	195	4	0,5	1.700	80	