

Printing date 09.03.2023

Version number 2

Revision: 09.03.2023

Page 1/8

# \* SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- Trade name: Hydro HLP 32
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- Application of the substance / the mixture Hydraulic fluid Viskosität : ISO VG 32
- 1.3 Details of the supplier of the safety data sheet
  Manufacturer/Supplier: Hengst SE
  Nienkamp 55-85
  48147 Münster
  Germany

 $\begin{array}{c} T + 49 \ (0) 251 \ 20 \ 20 \ 2\text{-}0 \\ F + 49 \ (0) 251 \ 20 \ 20 \ 2\text{-}646 \end{array}$ 

- · Further information obtainable from: oil@hengst.com
- 1.4 Emergency telephone number: Informationszentrale gegen Vergiftungen Uni - Klinikum Bonn; Notfall - Nr.: +49 228 19 240

# SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008
- The product is not classified, according to the CLP regulation.
- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

## SECTION 3: Composition/information on ingredients

- · 3.1 Substances
- · CAS No. Description
- Not applicable
- · Identification number(s)
- EC number: Not applicable
- · 3.2 Mixtures
- · Description: Preparation of base oils and additives.







Printing date 09.03.2023

Version number 2

Revision: 09.03.2023

(Contd. of page 1)

Page 2/8

## Trade name: Hydro HLP 32

· Dangerous components: Void

· SVHC None

• Additional information: For the wording of the listed hazard phrases refer to section 16.

## **SECTION 4: First aid measures**

• 4.1 Description of first aid measures

· General information: Take affected persons out of danger area and lay down.

- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.

· 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

• **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

# **SECTION 5: Firefighting measures**

#### · 5.1 Extinguishing media

- Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray. Use fire extinguishing methods suitable to surrounding conditions.
- For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture In case of fire, the following can be released:
- Nitrogen oxides (NOx)
- Carbon monoxide (CO)
- Carbon dioxide (CO2)
- 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.
- · Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

# SECTION 6: Accidental release measures

- $\cdot$  6.1 Personal precautions, protective equipment and emergency procedures
- Keep people at a distance and stay on the windward side.
- · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- $\cdot$  6.3 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- · 6.4 Reference to other sections
- No dangerous substances are released.

See Section 7 for information on safe handling.



(Contd. on page 3)





Printing date 09.03.2023

Version number 2

Revision: 09.03.2023

(Contd. of page 2)

Page 3/8

## Trade name: Hydro HLP 32

See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

# **SECTION 7: Handling and storage**

- · 7.1 Precautions for safe handling Avoid the formation of oil haze.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles:
- Note Regulation on facilities for the storage, filling and handling water-polluting substances...
- Information about storage in one common storage facility: Store away from oxidising agents.
- Further information about storage conditions:
- Protect from contamination.
- Storage in a collecting room is required.
- 7.3 Specific end use(s) No further relevant information available.

## **SECTION 8: Exposure controls/personal protection**

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:
- **Oilfog and Oilfumes** TLV-8h-TWA  $5mg/m^3$ TI

· Additional information: The lists valid during the making were used as basis.

#### · 8.2 Exposure controls

- · Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:
- The usual precautionary measures are to be adhered to when handling chemicals.
- · Respiratory protection: Not required.
- · Hand protection
- Preventive skin protection by use of skin-protecting agents is recommended.
- Check the permeability prior to each anewed use of the glove.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 4) EU

> Made in Germany



Printing date 09.03.2023

Version number 2

Revision: 09.03.2023

#### Trade name: Hydro HLP 32

(Contd. of page 3)

Page 4/8

#### · Penetration time of glove material

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Not suitable are gloves made of the following materials: Leather gloves

· Eye/face protection Goggles recommended during refilling

· Body protection: Protective work clothing

# \* SECTION 9: Physical and chemical properties

### • 9.1 Information on basic physical and chemical properties

· 9.1 Information on basic physical and chemical	properties
· General Information	
· Physical state	Fluid
· Colour:	Dark yellow
· Odour:	Mineral-oil-like
· Odour threshold:	Not determined.
• Melting point/freezing point:	Undetermined.
· Boiling point or initial boiling point and boiling	
range	Undetermined.
· Flammability	Not applicable.
· Lower and upper explosion limit	
· Lower:	0.6 Vol % (DIN EN 1839)
· Upper:	6.5 Vol % (DIN EN 1839)
· Flash point:	226 °C (DIN ISO 2592)
Decomposition temperature:	Not determined.
· pH	Not determined.
Viscosity:	
· Kinematic viscosity at 40 °C	32 mm²/s (DIN 51562)
· Dynamic:	Not determined.
Solubility	
water:	Not miscible or difficult to mix.
· Partition coefficient n-octanol/water (log value)	Not determined.
· Vapour pressure:	Not determined.
· Density and/or relative density	
· Density at 20 °C:	0.87 g/cm <sup>3</sup> (DIN 51757)
· Relative density	Not determined.
· Vapour density	Not determined.
9.2 Other information	
· Appearance:	
· Form:	Fluid





Printing date 09.03.2023

Version number 2

Revision: 09.03.2023

(Contd. of page 4)

#### Trade name: Hydro HLP 32

· Important information on protection of health and environment, and on safety. • Auto-ignition temperature: Not determined. Product is not explosive. However, formation of · Explosive properties: explosive air/vapour mixtures are possible. · Change in condition · Softening point/range - 33 °C (DIN ISO 3016) · Pour point Not determined. · Evaporation rate · Information with regard to physical hazard classes Void · Explosives · Flammable gases Void Void · Aerosols · Oxidising gases Void · Gases under pressure Void · Flammable liquids Void · Flammable solids Void · Self-reactive substances and mixtures Void · Pyrophoric liquids Void · Pyrophoric solids Void · Self-heating substances and mixtures Void · Substances and mixtures, which emit flammable Void gases in contact with water · Oxidising liquids Void · Oxidising solids Void · Organic peroxides Void · Corrosive to metals Void · Desensitised explosives Void

## SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· 10.3 Possibility of hazardous reactions Reacts with strong oxidising agents.

· 10.4 Conditions to avoid No further relevant information available.

· 10.5 Incompatible materials: No further relevant information available.

• 10.6 Hazardous decomposition products: Carbon monoxide and carbon dioxide

## **SECTION 11: Toxicological information**

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity Based on available data, the classification criteria are not met.





Page 5/8



Printing date 09.03.2023

Version number 2

Revision: 09.03.2023

(Contd. of page 5)

Page 6/8

## Trade name: Hydro HLP 32

· LD/LC50 values relevant for classification:

## CAS: 68649-42-3 Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts

*Oral LD50 >2,000 mg/kg (rat)* 

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- $\cdot$  Additional toxicological information:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- The product contains less than 3% DMSO extract (method IP346). A classification as a carcinogen with R45 is deleted. (Note L)
- · 11.2 Information on other hazards
- Endocrine disrupting properties

None of the ingredients is listed.

## SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity:

The product spreads out on the surface of the water. A small fraction of the constituents will be dissolved. It prevents the solution of oxygen and can cause the death of water organism.

- · 12.2 Persistence and degradability Not easily biodegradable
- · Degree of elimination:
- CAS: 68649-42-3 Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts
- EC50 1-1.5 mg/kg (daphnia) (OECD Guide-line 202 part1, Daphnia A.I.T.)
- · 12.3 Bioaccumulative potential Non significant accumulation in organisms
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties
- The product does not contain substances with endocrine disrupting properties.
- · 12.7 Other adverse effects
- · Remark: The product can easily be separated by an oil separator (skimmer) of the water surface.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water





Printing date 09.03.2023

Version number 2

Revision: 09.03.2023

Page 7/8

## Trade name: Hydro HLP 32

(Contd. of page 6) Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

## SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation
- When storing used mineral oil products, ensure that the categories for waste oil and mixing instructions are observed.

Delivery of waste oil to offically authorised collectors only.

· European waste catalogue

13 01 10\* mineral based non-chlorinated hydraulic oils

- · Uncleaned packaging:
- · Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

## **SECTION 14:** Transport information

· 14.1 UN number or ID number	
· ADR, ADN, IMDG, IATA	Void
<ul> <li>14.2 UN proper shipping name</li> </ul>	
· ADR, ADN, IMDG, IATA	Void
· 14.3 Transport hazard class(es)	
· ADR, ADN, IMDG, IATA	
· Class	Void
· 14.4 Packing group	
· ADR, IMDG, IATA	Void
<ul> <li>14.5 Environmental hazards:</li> </ul>	
• Marine pollutant:	No
$\cdot$ 14.6 Special precautions for user	Not applicable.
· 14.7 Maritime transport in bulk according	g to IMO
instruments	Not applicable.
· UN "Model Regulation":	Void

## **SECTION 15: Regulatory information**


· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Labelling according to Regulation (EC) No 1272/2008 Void

· Hazard pictograms Void

· Signal word Void

· Hazard statements Void







Printing date 09.03.2023

Version number 2

Revision: 09.03.2023

(Contd. of page 7)

Page 8/8

### Trade name: Hydro HLP 32

· Directive 2012/18/EU

• Named dangerous substances - ANNEX I None of the ingredients is listed.

· LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV)

CAS: 26571-11-9 26-(nonylphenoxy)-3,6,9,12,15,18,21,24-octaoxahexacosan-1-ol: Sunset date: 2021-01-04

· DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

· National regulations:

#### · Additional classification according to Decree on Hazardous Materials, Annex II:

The product does not have to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

· Information about limitation of use: none

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## \* SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Product safety

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

- GHS: Globally Harmonised System of Classification and Labelling of Chemicals
- EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

*vPvB: very Persistent and very Bioaccumulative* 

• Sources Concawe Product Dossier No.97/108. Concawe Product Dossier Nn. 01/54.

 $\cdot$  \* Data compared to the previous version altered.

EU

Made in Germany

