

Printing date 02.10.2023

Version number 2 (replaces version 1)

Revision: 22.05.2023

Page 1/9

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

• Trade name: ATF Multi Vehicle

- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- No further relevant information available.
- · Application of the substance / the mixture Gear oil

• 1.3 Details of the supplier of the safety data sheet • Manufacturer/Supplier: Hengst SE Nienkamp 55-85 48147 Münster Germany

T +49 (0)251 20 20 2-0 F +49 (0)251 20 20 2-646

- · Further information obtainable from: oil@hengst.com
- · 1.4 Emergency telephone number:

Informationszentrale gegen Vergiftungen Uni - Klinikum Bonn; Notfall - Nr.: +49 228 19 240

### \* SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

#### · 2.2 Label elements

- · Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the CLP regulation.
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements
- H412 Harmful to aquatic life with long lasting effects.
- · Precautionary statements
- P101 If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.
- P103 Read carefully and follow all instructions.
- P273 Avoid release to the environment.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

EU (Contd. on page 2)





Safety data sheet according to 1907/2006/EC, Art	icle 31	Page 2/9	
Printing date 02.10.2023	Version number 2 (replaces version 1)	Revision: 22.05.2023	
Trade name: ATF Multi Vehicle			
		(Contd. of page 1)	
SECTION 3: Composition	/information on ingredients		
• <b>3.2 Mixtures</b> • <b>Description:</b> Preparation of base	e oils and additives.		
· Dangerous components:			
CAS: 64742-54-7 EINECS: 265-157-1 Index number: 649-467-00-8	Distillates (petroleum), hydrotreated heavy par Asp. Tox. 1, H304	raffinic 10-25%	
Reg.nr.: 01-2119484627-25-000			
CAS: 72623-86-0 EINECS: 276-737-9	Lubricating oils (petroleum), C15-30, hydrotreated neutral oil- ≤2.5% hased		
Index number: 649-482-00-X Reg.nr.: 01-2119474878-16	𝔅 Asp. Tox. 1, H304		
ELINCS: 424-820-7	Reaction product of alkylthioalcohol and subs	stituted phosphoros ≤1%	
	Skin Corr. 1B, H314; ( Aquatic Acute 1, H400 ( $M=10$ ); Aquatic Chronic 1, H410 ( $M=10$ ); ( Acute Tox. 4, H312		
• SVHC Void • Additional information: For the	wording of the listed hazard phrases refer to sec	etion 16	

## **SECTION 4: First aid measures**

#### • 4.1 Description of first aid measures

· General information: Take affected persons out of danger area and lay down.

• After inhalation: Supply fresh air; consult doctor in case of complaints.

• After skin contact: Immediately wash with water and soap and rinse thoroughly.

• After eye contact: Rinse opened eye for several minutes under running water.

• After swallowing: If symptoms persist consult doctor.

• 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

• **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

#### **SECTION 5: Firefighting measures**

- 5.1 Extinguishing media
- Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray.

Use fire extinguishing methods suitable to surrounding conditions.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- $\cdot$  5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released: Nitrogen oxides (NOx)



(Contd. on page 3)





Printing date 02.10.2023

Version number 2 (replaces version 1)

Revision: 22.05.2023

(Contd. of page 2)

Page 3/9

#### Trade name: ATF Multi Vehicle

Carbon monoxide (CO)

Carbon dioxide (CO2)

5.3 Advice for firefighters

• Protective equipment: Wear self-contained respiratory protective device.

· Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

## **SECTION 6:** Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Keep people at a distance and stay on the windward side.

- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- · 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# SECTION 7: Handling and storage

· 7.1 Precautions for safe handling Avoid the formation of oil haze.

- · Information about fire and explosion protection: No special measures required.
- 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles:

Note Regulation on facilities for the storage, filling and handling water-polluting substances...

• Information about storage in one common storage facility: Store away from foodstuffs.

• Further information about storage conditions: Storage in a collecting room is required.

• 7.3 Specific end use(s) No further relevant information available.

## SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

Oilfog and Oilfumes	TLV-8h-TWA	

TLV-15min-STEL 10mg/m<sup>3</sup>

 $5mg/m^3$ 

· Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

• Appropriate engineering controls No further data; see section 7.

· Individual protection measures, such as personal protective equipment

· General protective and hygienic measures: Wash hands before breaks and at the end of work.

· Respiratory protection: Not required.







Printing date 02.10.2023

Version number 2 (replaces version 1)

Revision: 22.05.2023

(Contd. of page 3)

Page 4/9

#### Trade name: ATF Multi Vehicle

· Hand protection

Preventive skin protection by use of skin-protecting agents is recommended.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Not suitable are gloves made of the following materials: Leather gloves

· Eye/face protection Goggles recommended during refilling

## \* SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties · General Information · Physical state Fluid · Colour: Red Characteristic · Odour: · Odour threshold: Not determined. • Melting point/freezing point: Undetermined. · Boiling point or initial boiling point and boiling range Undetermined. · Flammability *Not applicable.* · Lower and upper explosion limit Not determined. · Lower: · Upper: Not determined. 228 °C (DIN ISO 2592) · Flash point: Not determined. • Decomposition temperature: Not determined. · pH · Viscosity: 38.2 mm<sup>2</sup>/s (DIN 51562) · Kinematic viscosity at 40 °C · Dynamic: Not determined. · Solubility Not miscible or difficult to mix. · water: · Partition coefficient n-octanol/water (log value) Not determined. Not determined. · Vapour pressure: · Density and/or relative density · Density at 20 °C: 0.847 g/cm<sup>3</sup> (DIN 51757) Not determined. · Relative density



(Contd. on page 5) EU

Germany





#### Page 5/9 Safety data sheet according to 1907/2006/EC, Article 31 Printing date 02.10.2023 Revision: 22.05.2023 Version number 2 (replaces version 1) Trade name: ATF Multi Vehicle (Contd. of page 4) Not determined. · Vapour density • 9.2 Other information · Appearance: · Form: Fluid · Important information on protection of health and environment, and on safety. · Ignition temperature: Not determined. Product is not explosive. However, formation of · Explosive properties: explosive air/vapour mixtures are possible. · Change in condition · Softening point/range -45 °C (DIN ISO 3016) · Pour point Not determined. · Evaporation rate · Information with regard to physical hazard classes Void · Explosives · Flammable gases Void Void · Aerosols · Oxidising gases Void · Gases under pressure Void · Flammable liquids Void · Flammable solids Void · Self-reactive substances and mixtures Void · Pyrophoric liquids Void · Pyrophoric solids Void · Self-heating substances and mixtures Void · Substances and mixtures, which emit flammable Void gases in contact with water · Oxidising liquids Void Void · Oxidising solids Void · Organic peroxides · Corrosive to metals Void · Desensitised explosives Void

#### SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· 10.3 Possibility of hazardous reactions Reacts with strong oxidising agents.

• 10.4 Conditions to avoid No further relevant information available.

• 10.5 Incompatible materials: No further relevant information available.

· 10.6 Hazardous decomposition products: Carbon monoxide and carbon dioxide





Printing date 02.10.2023

Version number 2 (replaces version 1)

Revision: 22.05.2023

(Contd. of page 5)

Page 6/9

Trade name: ATF Multi Vehicle

## SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

- Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values relevant for classification: Rat oral : > 2000 mg/kg (Concawe Product dossier 01/54)
- · Skin corrosion/irritation
- Prolonged skin contact it may cause irritations
- Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- $\cdot$  **Reproductive toxicity** Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- Additional toxicological information:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

The product contains less than 3% DMSO extract (method IP346). A classification as a carcinogen with R45 is deleted. (Note L)

- 11.2 Information on other hazards
- Endocrine disrupting properties
- None of the ingredients is listed.

# \* SECTION 12: Ecological information

#### · 12.1 Toxicity

• Aquatic toxicity:

The product spreads out on the surface of the water. A small fraction of the constituents will be dissolved. It prevents the solution of oxygen and can cause the death of water organismn.

- · 12.2 Persistence and degradability Not easily biodegradable
- · 12.3 Bioaccumulative potential

Due to the distribution coefficient n-octanol/water a worth-mentioning accumulation in organisms is not expected.

- 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- *PBT:* Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties
- The product does not contain substances with endocrine disrupting properties.
- · 12.7 Other adverse effects
- Remark: The product can easily be separated by an oil separator (skimmer) of the water surface.
- Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

(Contd. on page 7) EU



Made in Germany



Safety data sheet	
according to 1907/2006/EC, Article 31	

Printing date 02.10.2023

Version number 2 (replaces version 1)

Revision: 22.05.2023

(Contd. of page 6)

Page 7/9

#### Trade name: ATF Multi Vehicle

Do not allow product to reach ground water, water course or sewage system.

## **SECTION 13: Disposal considerations**

#### · 13.1 Waste treatment methods

· Recommendation

When storing used mineral oil products, ensure that the categories for waste oil and mixing instructions are observed.

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Delivery of waste oil to offically authorised collectors only.

· European waste catalogue

13 02 05\* mineral-based non-chlorinated engine, gear and lubricating oils

· Uncleaned packaging:

#### · Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

## **SECTION 14:** Transport information

· 14.1 UN number or ID number · ADR, ADN, IMDG, IATA	Void
<ul> <li>14.2 UN proper shipping name</li> <li>ADR, ADN, IMDG, IATA</li> <li>14.3 Transport hazard class(es)</li> </ul>	Void
ADR, ADN, IMDG, IATA	
· Class	Void
· 14.4 Packing group	
· ADR, IMDG, IATA	Void
· 14.5 Environmental hazards:	
· Marine pollutant:	No
· 14.6 Special precautions for user	Not applicable.
• 14.7 Maritime transport in bulk according to IM	0
instruments	Not applicable.
· UN "Model Regulation":	Void

## \* SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

• Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

• Hazard pictograms Void

· Signal word Void

• Hazard statements

H412 Harmful to aquatic life with long lasting effects.







Printing date 02.10.2023

Version number 2 (replaces version 1)

Revision: 22.05.2023

Page 8/9

#### Trade name: ATF Multi Vehicle

(Contd. of page 7)

- · Precautionary statements
- P101 If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.
- P103 Read carefully and follow all instructions.
- P273 Avoid release to the environment.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II
- None of the ingredients is listed.
- · REGULATION (EU) 2019/1148
- Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))
- None of the ingredients is listed.
- · Annex II REPORTABLE EXPLOSIVES PRECURSORS
- None of the ingredients is listed.
- · Regulation (EC) No 273/2004 on drug precursors
- None of the ingredients is listed.
- Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors
- None of the ingredients is listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## \* SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H304 May be fatal if swallowed and enters airways.
H312 Harmful in contact with skin.
H314 Causes severe skin burns and eye damage.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.

- · Department issuing SDS: Product safety
- · Version number of previous version: 1

• Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

- IMDG: International Maritime Code for Dangerous Goods
- IATA: International Air Transport Association
- GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

(Contd. on page 9) EU

> Made in Germany





Printing date 02.10.2023

Version number 2 (replaces version 1)

Revision: 22.05.2023

(Contd. of page 8)

Page 9/9

#### Trade name: ATF Multi Vehicle

ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity – Category 4 Skin Corr. 1B: Skin corrosion/irritation – Category 1B Asp. Tox. 1: Aspiration hazard – Category 1 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3 • Sources Concawe Product Dossier No.97/108. Concawe Product Dossier Nn. 01/54.

• \* Data compared to the previous version altered.

EU

Made in Germany

